

DDS Filippo Cardarelli
Dentist
Specialist in Orthodontics
University of Milan



Patient age 3 years, III Hereditary Class, open bite, left lower midline deviation, short labial frenulum.

II patient is treated with Class III (TC) AMCOP elastodontic functional therapy in order to regain proper growth and bite closure. Concurrently with delivery of the elastodontic appliance, the patient undergoes laser therapy of the upper labial frenulum
















Cardarelli




clinica
cardarelli

ORAL HEALTH & SURGERY CENTER



Fasi della frenulectomia Laser: incisione a V



Controllo a 5 mesi dalla frenulectomia LASER





Chiusura dell'open bite con Amcop Tc



05/19

11/19

L'elastodonzia è la terapia ortodontica che sfrutta forze leggere e biologiche di tipo elastico per correggere le malocclusioni in pazienti in crescita e negli adulti, influenzando la crescita, eliminando i disturbi funzionali e correggendo la posizione dei denti.

La terapia elastodontica riveste un ruolo di primaria importanza nel contesto della moderna odontoiatria.

L'ortodonzia preventiva ed intercettiva prevede trattamenti intrapresi in età precoce, durante gli stadi più attivi della crescita scheletrica e dentale, quando le strutture scheletriche sono caratterizzate da notevole plasticità e capacità di adattamento, finalizzati a rimuovere i fattori ritenuti responsabili delle malocclusioni dentarie. La terapia mediante dispositivi elastodontici rappresenta un trattamento straordinariamente efficace, che presenta molteplici indicazioni.